

#### CORPORATE OFFICE:

Asian Granito India Ltd.

202, Dev Arc, Opp. Iskon Temple, S.G. Highway, Ahmedabad - 380015. Gujarat, INDIA.

Ph.: +91 79 6612 5521 | Fax.: +91 79 6612 5600 | Email.: contact@bonzer7.com, info@bonzer7.com


www.bonzer7.com | Toll Free No.: 1800 123 4475

















## About Us

With our unvarying focus towards creating a comprehensive collection of formidable products and exceptional service, we have fast become one of the front-runners in the ceramic space. We aspire to use our expertise and ardor to turn your dreams into reality.

We are always striving to upgrade our technology to manufacture superior products. At Bonzer7, we follow the adage 'Inspired By You'. It is a priority for us to meet the expectations of our customers fittingly. Our efforts are directed towards providing our customers new designs with unmatched quality.

A testament to our 'customer first approach' is our happy customers. We have become the preferred brand of country's prime architects, interior designers, custom home builders, developers and astute homeowners in a short span of time.

# **CRAFTING MAGNIFICENT CERAMIC ARTISTRY**



















## Certificate







ISO 9001: 2015

ISO 9001: 2015

**BIS CERTIFIED** 







**CE CERTIFIED** 

**CERTIFIED TWO STAR EXPORT HOUSE** 

**GRIHA CERTIFIED** 







**IIID CERTIFIED** 

AWARDED FOR BRAND **LEADERSHIP** 

IGBC CERTIFIED

Bonzer7 has prioritized quality in all its endeavors and the same has been recognized by authorities. We have received certain certifications that boast our adherence to market standards and established procedures. We are also the proud recipients of "Power Brands Rising Star" a recognition bestowed upon us by the Indian customers.

### PRESTIGIOUS PROJECT

Bonzer 7 is focused to increase its reach in retails segment. There are requirements from various customers and they have unique approach towards brands. We have been supplying our offering to many prestigious projects to fulfill different requirements.





#### **INDIVIDUAL VILLAS**

M/s. Ananya Shelters (P) ltd. KTVR Vijaydeepa Constructions M/s. JRD Realtors-Builders Sri Mahalakshmi Construction





#### **APARTMENTS**

Sri Gujan Property Devlopers M/s. JRD Realtors-Builders Kedar Ventures, Promoters GMS Elegant Builders (I) PVT Ltd.





#### THEATRE COMPLEX

Karpagam Cine Complex





#### **IT TECH PARK**

India Land Tech Park PVT Ltd.





## HOSPITAL

Hospital Building : KG Hospital Ar. Sankar & Associates

























### **DISPLAY CENTER**













### **Corporate Office: - Asian Granito India Ltd.**

202, Dev Arc, Opp. Iskcon Temple, SG Highway, Ahmedabad – 380015. Gujarat, India Ph.: **+91 79 66125500/698/659** 

Email: info@bonzer7.com

### **Bonzer7 Tiles - Company Display Centre**

Chennai 10/2, Plot No. 19, New Survey No. 52/1, 2nd Floor, Jawaharlal Nehru Salai, Inner Ring Road, Koyambedu, Chennai, Tamilnadu, 600107.

M: **99090 37685** 

Email: chennaishowroom@bonzer7.com

## **Bonzer7 Tiles - Company Display Centre**

Ahmedabad Gota Cross Road,

Nr. Sarkhej - Gandhinagar Highway, Gota, Ahmedabad – 382481


M: 75068 22059

Email: ahdshowroom@bonzer7.com

#### **Bonzer7 Tiles - Company Display Centre**

Hyderabad #8-2-293/K, Srimam Chambers, 2nd Floor, Kamalapuri Colony, Phase –III, Hyderabad – 500073.

M: 80085 03671/72 | 99799 91861



## **FEATURES**













Ecology &



Resistance to Staining



Frost



Break





The pride of your space when it comes to giving a touch of grandeur to a space. We have multiple applications for indoor & outdoor spaces. Our exceptional surface are widely used to adorn the walls & embellish the floor of your spaces.

## **APPLICATION**



Airport













Schools Domestic Offices Industries Discotheques








Shopping
















Glossy tiles have shiny surfaces and have an enamel coating that reflects light. Glossy tiles are ideal for small areas, as they make any area look brighter and more spacious... These tiles are available in 800x2400mm and 1200x1800mm.

Matt tiles are perfect for imparting a traditional look to any space. Matt tiles are a preferred material for outdoor applications due to their anti-slip feature and durability.








## 800x2400MM

Carving	08
Flex	10
Glossy	12
Highgloss	18
FullBody (SNP Glossy / Matt)	24

## 1200x1800MM

Glossy	32
Highgloss	42
Matt With Carving	46
Frost	50
Vogue	54

08	FINISHES	
42	DESIGN	











A collection permeable to creativity and design in professional spaces, contract channels, or at home, thanks to its clean design, its consistency, dimensions and technical characteristics Inspiring present day proposals to decorate the spaces where you work create and live, with collections of high technological innovation collection.





Bon/marble DIGITAL VITRIFIED TILES


**ESQUINA PLUS** 


Collection

FULLBODY

Dark Color







10

**GLOSSY** Finish


Bon/marble
DIGITAL VITRIFIED TILES 800x2400 MM


**VENEZIA PLUS** 

Collection

**FULLBODY** Light Color







**GLOSSY** Finish 800x2400 MM

**WINTO** Collection

WHITE BODY

Bon/marble
DIGITAL VITRIFIED TILES

**WINTO PLUS** Collection

WHITE BODY
Print



**BON WHITE** 





CARRARA SATUARIO






WHITE BODY
Print


Bon/marble
DIGITAL VITRIFIED TILES

800x2400 MM
WINTO PLUS Collection










18

Collection



800x2400 MM

VENEZIA Collection





800x2400 MM

Collection










800x2400 MM | FULLBODY


Bon/marble DIGITAL VITRIFIED TILES

**VENEZIA PLUS** 

Collection







800x2400 MM | FULLBODY


Bon/marble DIGITAL VITRIFIED TILES

**VENEZIA PLUS** 

Collection

BONZER






26


800x2400 MM | FULLBODY

Bon/marble
DIGITAL VITRIFIED TILES

VENEZIA PLUS
Collection













This design collection gives your surface an idyllic settings. The Designs are in scripted to give steady flow to adapt and intercept with harmonic simulation for your surface and unparalleled flexibility for any kind of applications.

Bon/marble
DIGITAL VITRIFIED TILES

WINTO Collection



## EMPERIAL BIANCO



360







SEFFONE RIVER - ENDLESS



360







**GLOSSY** Finish

1200x1800 MM WINTO Collection



# TEXAS CREMA














Bon/marble
DIGITAL VITRIFIED TILES


WINTO
Collection



## BARCELONA BIANCO - ENDLESS



360



## CREPTLATO CREMA



360



36

1200x1800 MM



WINTO Collection



# CORSICA GREY - ENDLESS



<u> 360</u>








# TITANIUM CREMA





### **GLOSSY** Finish

1200x1800 MM WINTO Collection



# SAFFRON WHITE











10 | 41

Bon/marble
DIGITAL VITRIFIED TILES 1200x1800 MM

WINTO PLUS

Collection



OPERA BEIGE










WONDER GREY



360



Bon/marble
DIGITAL VITRIFIED TILES 1200x1800 MM

WINTO PLUS


Collection



VOLTA GREY









ONYX MINT



360





### MATT WITH CARVING Finish

1200x1800 MM


**VENEZIA** Collection



# MACAU WHITE











Bon/marble
DIGITAL VITRIFIED TILES

**VENEZIA** 


BONZER Collection

ROLEX GREY

1200x1800 MM




360



MACAU GRIS





Bon/marble
DIGITAL VITRIFIED TILES

**VENEZIA PLUS** 

Collection

BONZER 7

ALEXA BIANCO



360







LYCOS BEIGE - ENDLESS



360







1200x1800 MM

**VENEZIA PLUS** Collection




# OXFORD GREY FROST











Bon/marble
DIGITAL VITRIFIED TILES

**ESQUINA PLUS** 

Collection



## ANTIQUE CREMA



360







BELGIUM GREY



360







Bon/marble
DIGITAL VITRIFIED TILES

**ESQUINA PLUS** 


Collection



# CALROS BIANCO







CALROS BEIGE



360





56

#### MANUALLY TRANSPORTING TILES





#### MOVING A TILE Only for 1/4" Slabs






#### RAISING A IMMODERATE TILE ONTO A BENCH





#### HANDLING IMMODERATE TILE FOR WALL



✓ CORRECT

#### **IMPORTANT**

All cutout corners must have a minimum diameter of 1/4". Never leave 90° angles. We recommend radiuses of more than 1/4" when the kitchen the design allows as it makes the countertop firmer.





X INCORRECT





X INCORRECT





CHARACTERISTICS	TEST M	TEST METHOD		B1A STD VALUES		OUR VALUES	
Dimension and surface quality	ISO 13006:2012(E)	IS 15622-2017,GROUP B1A, ES 0.08%	%	ММ	%	ММ	
Deviation In Lenght	ISO 10545-2	IS 13630 PART-1	± 0.6 %	± 2.0 mm	± 0.03 %	± 0.50 mm	
Deviation In Width	ISO 10545-2	IS 13630 PART-1	± 0.6 %	± 2.0 mm	± 0.03 %	± 0.50 mm	
Deviation In Width	ISO 10545-2	IS 13630 PART-1	± 0.6 %	± 2.0 mm	± 0.03 %	± 0.50 mm	
Deviation In Thickness	ISO 10545-2	IS 13630 PART-1	± 5.0 %	± 0.5 mm	± 3.50 %	± 0.30 mm	
Streightness Of Sides	ISO 10545-2	IS 13630 PART-1	± 0.5 %	± 1.5 mm	± 0.02 %	± 0.35 mm	
Rectangularity	ISO 10545-2	IS 13630 PART-1	± 0.5 %	± 2.0 mm	± 0.05 %	± 0.90 mm	
Surface Flatness	ISO 10545-2	IS 13630 PART-1	± 0.5 %	± 2.0 mm	± 0.06 %	± 1.20 mm	
Surface Quality 95% Free From Visible Defects	ISO 105451-2	IS 13630 PART-1	<u>+</u> 9	5%	Con	form	
PHYSCIAL PROPERTY							
WA%	ISO 10545-3	IS 13630 PART-2	Eb ≤ 0.5 % maximum	Individual 0.6%	Conform		
MOR N/MM2	ISO 105451-4	IS 13630 PART-6	Min 35 Indi. min 32		Min 42 Indi. min 32	2	
Breaking Strength N For Thick > 7.5 Mm	ISO 105451-4	IS 13630 PART-6	>1300		>2000 (on 600x600)		
Impact Resistance - Co - Efficient Of	ISO 105451-5	IS 13630 PART-14	Not Compulsory		>0.55		
Deep Abrasion Resistance For Unglazed Tiles	ISO 105451-6	IS 13630 PART-12	Max 175 MM³		Only For Unglazed Tiles		
Resistance To Surface Abrasion - Glazed Tiles	ISO 105451-7	IS 13630 PART-11, CLASS-2	Report Abrasion Class		Min. Class 3 or as per product required		
Co- Efficient Of Linear Thermal Expansion	ISO 105451-8	IS 13630 PART-4	Ambient to 100°c		Max 6x10		
Thermal Stock Resistance 15/145 C 10 Cycle	ISO 105451-9	IS 13630 PART-5	Not Compulsory		10 Cycle min.		
Moisture Expansion MM/M	ISO 105451-10	IS 13630 PART-3	Not Compulsory		Max 0.02 MM/M		
Resistance To Crazing	ISO 105451-11	IS 13630 PART-9	Required		4 Cycle Pa	ss, @ 7.5 Kg ssure	
Frost Resistance	ISO 105451-12	IS 13630 PART-10	Required		Conform		
Resistance To House Hold Chemicals And Swimming Pool Salts : Glazed Tiles	ISO 105451-13	IS 13630 PART-7	Min GB		Min GB		
Scratch Hardness Of Surface	ISO 105451-13	IS 13630 PART-13	Min 5		Min 5, or as required		
Bulk Density Gm/cc		IS 13630 PART-2	2.20 Min		>2.25		
CHEMICAL PROPERTY							
Resistance To Stain Glazed Tiles	ISO 105451-14	IS 13630 PART-8,	Min Class	3	Conform		
Lead And Cadmium Release - Glazed Tiles	ISO 105451-15	CLASS -1	Not Compulsory		Not Compulsory		
Small Colour Differences	ISO 105451-16		Not comp /Plain Col		Not compu /Plain Colo		

### **PACKING DETAIL**

SIZE	PCS/BOX	WEIGHT(APPROX)	THICKNESS (APPROX)	SQ. MTR/BOX
800 x 2400 MM	1	68 Kg.	15MM	1.92 Sq.Mtr
1200 x 1800 MM	2	90 Kg.	9MM	4.32 Sq.Mtr

**DISCLAIMER**: Bonzer 7 Tiles reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors. All complaints need to be reported within 10 days of purchase. Always follow instructions to avoid complaint due to bad masonry.