BONZER 7®
TILES

Corp. Office:
202, Dev Arc, Opp. Iskon Temple,
S.G. Highway, Ahmedabad 380 015.
Gujarat, INDIA.
Ph.: +91 79 6612 5541 /, Fax: +91 79 6612 5600
Email: contact@bonzer7.com, info@bonzer7.com
www.bonzer7.com
Toll Free No. 1800 123 4475

Follow us on

JULY 2023

BONZER 7®
TILES

OPEN YOUR MIND TO *Creativity*



Bonmarble
DIGITAL VITRIFIED TILES

800X2400MM
1200 X 1800 MM



BONZER7 TILES

INDEX

Bonmarble
DIGITAL VITRIFIED TILES

800x2400 mm
Glossy 04
Highgloss 07
Glossy & Matt 16

1200x1800 mm
Glossy 24
Highgloss 34
Dark Highgloss 39
Frost 44
Matt with Carving 52

With our unvarying focus towards creating a comprehensive collection of formidable products and exceptional service, we have fast become one of the front-runners in the ceramic space. We aspire to use our expertise and ardor to turn your dreams into reality.

We are always striving to upgrade our technology to manufacture superior products. At Bonzer7, we follow the adage 'Inspired By You'. It is a priority for us to meet the expectations of our customers fittingly. Our efforts are directed towards providing our customers new designs with unmatched quality.

A testament to our 'customer first approach' is our happy customers. We have become the preferred brand of country's prime architects, interior designers, custom home builders, developers and astute homeowners in a short span of time.

Wall Tiles | Floor Tiles | Rocker | Glossy | Domestic

Digital | Correct Rectified | Interior | Commercial | Random

www.bonzer7.com

CARRARA STATUARIO BLACK GOLD

GLOSSY | HIGHGLOSS | 800 X 2400 MM



BON WHITE

GLOSSY
800 X 2400 MM

Winto Collection



CARRARA SATUARIO

GLOSSY
800 X 2400 MM

VENATO GOLD

GLOSSY
800 X 2400 MM



ICEBERGE WHITE

HIGHGLOSS
800 X 2400 MM



SPECTROLITE
HIGHGLOSS | 800 X 2400 MM

SALMON ONYX

HIGHGLOSS
800 X 2400 MM



SPECTROLITE

HIGHGLOSS
800 X 2400 MM



BLACK GOLD

HIGHGLOSS
800 X 2400 MM



MATRIX PORTORO

HIGHGLOSS
800 X 2400 MM



BAHAMA BLACK

HIGHGLOSS
800 X 2400 MM





BON BLACK

HIGHGLOSS
800 X 2400 MM

Venezia Collection



SNP CHOCO

GLOSSY & MATT
800 X 2400 MM





SNP CREMA

GLOSSY & MATT
800 X 2400 MM

SNP BURLY

GLOSSY & MATT
800 X 2400 MM



SNP GREY

GLOSSY & MATT
800 X 2400 MM



SNP BLACK

GLOSSY & MATT
800 X 2400 MM



ROMA STATUARIO

GLOSSY | 1200 X 1800 MM

ROMA STATUARIO

GLOSSY
1200 X 1800 MM





BULGARY LIGHT

GLOSSY
1200 X 1800 MM

REGAL BOTTOCHINO

GLOSSY
1200 X 1800 MM



SILVIA MARFIL

GLOSSY
1200 X 1800 MM

COSMO MARFIL

GLOSSY
1200 X 1800 MM

DAINO CREMA

GLOSSY
1200 X 1800 MM

FLORENCE BEIGE

GLOSSY
1200 X 1800 MM

SAFFRON WHITE

GLOSSY
1200 X 1800 MM

ONYX MINT

HIGHGLOSS | 1200 X 1800 MM

VOLTA GREY

HIGHGLOSS
1200 X 1800 MM

ONYX MINT

HIGHGLOSS
1200 X 1800 MM



OPERA BEIGE

HIGHGLOSS
1200 X 1800 MM

VERONA BEIGE

HIGHGLOSS
1200 X 1800 MM

WONDER GREY

HIGHGLOSS
1200 X 1800 MM

Winto Plus Collection

FOSSIL FOREST

DARK HIGHGLOSS
1200 X 1800 MM

Venezia Collection

STELLER SILVER

DARK HIGHGLOSS
1200 X 1800 MM



OXFORD GREY

DARK HIGHGLOSS
1200 X 1800 MM

WONDER GREY FROST

FROST | 1200 X 1800 MM

WILD FROST

FROST
1200 X 1800 MM

ARNADO GREY FROST

FROST
1200 X 1800 MM

WONDER GREY FROST

FROST
1200 X 1800 MM

VOLTA GREY FROST

FROST
1200 X 1800 MM

OXFORD GREY FROST

FROST
1200 X 1800 MM

MACAU CREMA
MACAU BLACK

MATT WITH CARVING | 1200 X 1800 MM

MACAU CREMA

MATT WITH CARVING
1200 X 1800 MM

MACAU BLACK

MATT WITH CARVING
1200 X 1800 MM

MACAU WHITE

MATT WITH CARVING
1200 X 1800 MM



MACAU GRIS

MATT WITH CARVING
1200 X 1800 MM

MACAU GRIS

MATT WITH CARVING | 1200 X 1800 MM

TECHNICAL SPECIFICATION

BONZER 7 TILES

CHARACTERISTICS	TEST METHOD		B1A STD VALUES		OUR VALUES	
Dimension and surface quality	ISO 13006:2012(E)	IS 15622-2017,GROUP B1A, ES 0.08%	%	MM	%	MM
Deviation In Lenght	ISO 10545-2	IS 13630 PART-1	± 0.6 %	± 2.0 mm	± 0.03 %	± 0.50 mm
Deviation In Width	ISO 10545-2	IS 13630 PART-1	± 0.6 %	± 2.0 mm	± 0.03 %	± 0.50 mm
Deviation In Width	ISO 10545-2	IS 13630 PART-1	± 0.6 %	± 2.0 mm	± 0.03 %	± 0.50 mm
Deviation In Thickness	ISO 10545-2	IS 13630 PART-1	± 5.0 %	± 0.5 mm	± 3.50 %	± 0.30 mm
Streightness Of Sides	ISO 10545-2	IS 13630 PART-1	± 0.5 %	± 1.5 mm	± 0.02 %	± 0.35 mm
Rectangularity	ISO 10545-2	IS 13630 PART-1	± 0.5 %	± 2.0 mm	± 0.05 %	± 0.90 mm
Surface Flatness	ISO 10545-2	IS 13630 PART-1	± 0.5 %	± 2.0 mm	± 0.06 %	± 1.20 mm
Surface Quality 95% Free From Visible Defects	ISO 105451-2	IS 13630 PART-1	±95%		Conform	
PHYSCIAL PROPERTY						
WA%	ISO 10545-3	IS 13630 PART-2	Eb ≤ 0.5 % Individual maximum 0.6%		Conform	
MOR N/MM2	ISO 105451-4	IS 13630 PART-6	Min 35 Indi. min 32		Min 42 Indi. min 32	
Breaking Strength N For Thick > 7.5 Mm	ISO 105451-4	IS 13630 PART-6	>1300		>2000 (on 600x600)	
Impact Resistance - Co - Efficient Of	ISO 105451-5	IS 13630 PART-14	Not Compulsory		>0.55	
Deep Abrasion Resistance For Unglazed Tiles	ISO 105451-6	IS 13630 PART-12	Max 175 MM^3		Only For Unglazed Tiles	
Resistance To Surface Abrasion - Glazed Tiles	ISO 105451-7	IS 13630 PART-11, CLASS-2	Report Abrasion Class		Min. Class 3 or as per product required	
Co- Efficient Of Linear Thermal Expansion	ISO 105451-8	IS 13630 PART-4	Ambient to 100°c		Max 6x10	
Thermal Stock Resistance 15/145 C 10 Cycle	ISO 105451-9	IS 13630 PART-5	Not Compulsory		10 Cycle min.	
Moisture Expansion MM/M	ISO 105451-10	IS 13630 PART-3	Not Compulsory		Max 0.02 MM/M	
Resistance To Crazing	ISO 105451-11	IS 13630 PART-9	Required		4 Cycle Pass, @ 7.5 Kg Steam Pressure	
Frost Resistance	ISO 105451-12	IS 13630 PART-10	Required		Conform	
Resistance To House Hold Chemicals And Swimming Pool Salts : Glazed Tiles	ISO 105451-13	IS 13630 PART-7	Min GB		Min GB	
Scratch Hardness Of Surface	ISO 105451-13	IS 13630 PART-13	Min 5		Min 5, or as required	
Bulk Density Gm/cc		IS 13630 PART-2	2.20 Min		>2.25	
CHEMICAL PROPERTY						
Resistance To Stain Glazed Tiles	ISO 105451-14	IS 13630 PART-8,	Min Class 3		Conform	
Lead And Cadmium Release - Glazed Tiles	ISO 105451-15	CLASS -1	Not Compulsory		Not Compulsory	
Small Colour Differences	ISO 105451-16		Not compulsory /Plain Coloured		Not compulsory /Plain Coloured	

PACKING DETAIL

SIZE	PCS/BOX	WEIGHT(APPROX)	THICKNESS (APPROX)	SQ. MTR/BOX
800 x 2400 MM	1	68 Kg.	15MM	1.92 Sq.Mtr
1200 x 1800 MM	2	90 Kg.	9MM	4.32 Sq.Mtr